DZ

SLIM LUXURY DOUBLE WALL DRAWER
超薄豪华骑马抽屉系列



SH-ABC

DZ63W 超薄豪华骑马抽屉–(外低抽)
DZ63W Slim Luxury Double Wall Drawer –(Lower Drawer) **01-02**

DZ63N 超薄豪华骑马抽屉–(内低抽)
DZ63N Slim Luxury Double Wall Drawer –(Lower Inner Drawer) **03-04**

DZ101W 超薄豪华骑马抽屉–(外中抽)
DZ101W Slim Luxury Double Wall Drawer –(Medium Drawer) **05-06**



DZ101N 超薄豪华骑马抽屉–(内中抽)
DZ101N Slim Luxury Double Wall Drawer –(Medium Inner Drawer) **07-08**

DZ148W 超薄豪华骑马抽屉–(外高抽)
DZ148W Slim Luxury Double Wall Drawer –(High Drawer) **09-10**



DZ148N 超薄豪华骑马抽屉–(内高抽)
DZ148N Slim Luxury Double Wall Drawer –(High Inner Drawer) **11-12**

DZ 超薄豪华骑马抽屉内抽安装示意图
DZ Slim Luxury Double Wall Drawer Inner Drawer Assembly **13-14**

DZ63W SLIM LUXURY DOUBLE WALL DRAWER -(LOWER DRAWER)
超薄豪华骑马抽屉 - (外低抽)

产品型号 Item No.	滑轨型号及标称长度 Nominal length NL (mm)	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
DZ63–270W	S3A–270 同步缓冲滑轨	249	280	4
DZ63–300W	S3A–300 同步缓冲滑轨	279	310	4
DZ63–350W	S3A–350 同步缓冲滑轨 / N3R–350 反弹滑轨	329 / 296	360	4
DZ63–400W	S3A–400 同步缓冲滑轨 / N3R–400 反弹滑轨	379 / 346	410	4
DZ63–450W	S3A–450 同步缓冲滑轨 / N3R–450 反弹滑轨	429 / 396	460	4
DZ63–500W	S3A–500 同步缓冲滑轨 / N3R–500 反弹滑轨	479 / 446	510	4
DZ63–550W	S3A–550 同步缓冲滑轨	529	560	4
DZ63–600W	S3A–600 同步缓冲滑轨	579	610	4



可配加高连杆 Optional tube

- → 隐藏式全拉出缓冲抽屉
- → 表面颜色：灰色、白色及其它颜色
- → 载重：35kg
- → 无需工具，抽屉可快速安装和拆卸
- → 同步静音系统，滑轨运动顺畅
- → 三维调节，上下(可调 ± 2mm)、左右(可调 ± 1.5mm)方向，面板倾斜调节
- → 自闭功能，平缓关闭，抽屉关闭不受重量影响
- → 长度：270–600mm
- → 针对面板无拉手的情形，可选用内置反弹功能的N3R隐藏式反弹滑轨

- → Soft close concealed full extension drawer
- → Finish color: gray, white or various colors available
- → Dynamic load capacity: 35kg
- → Tool–free quick installation
- → Stroke synchronous quiet system can guarantee the slides run smoothly without noise
- → 6–way adjustment: ± 2mm up and down, ± 1.5mm left and right, front panel tilt adjustment
- → Soft–closing function make the drawer close safely without effect of weight
- → Length: 270–600mm
- → For the panel without handle, can choose the N3R concealed silide with built–in push–open function

1 	DZ63 侧板(左/右)+装饰盖 1付 DZ63 Side board (L/R)+Cover 1Pair
2 S3A 同步缓冲 N3R 反弹	滑轨(左/右) 1付 (可选S3A同步缓冲滑轨或N3R反弹滑轨) Slides (L/R) 1Pair (Optional S3A Synchronous soft–closing slide or N3R Push–open slide)
3	DZ63 配件包(左/右) 1付 DZ63 Fitting bag (L/R) 1Pair

SH-ABC

柜体滑轨安装孔尺寸 Hole pattern

S3A 同步缓冲滑轨 S3A Synchronous soft–closing slide



N3R 反弹滑轨 N3R Push–open slide



滑轨安装尺寸 Installation size

S3A 同步缓冲滑轨 S3A Synchronous soft–closing slide

LT：最小柜深 Min cabinet depth
NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push–open slide



柜体所需空间 Space required

LW：柜体净宽 Inside net width　B/C/D：用户自定 User defines　Min：最小尺寸



前接码面板安装尺寸 Connectors front panel dimensions

B/C/D：用户自定 User defines



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions

S3A 同步缓冲滑轨 S3A Synchronous soft–closing slide

LW：柜体净宽 Inside net width　NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push–open slide



板厚 Board thickness: 16mm

DZ63N SLIM LUXURY DOUBLE WALL DRAWER -(LOWER INNER DRAWER)
超薄豪华骑马抽屉-(内低抽)

产品型号 Item No.	滑轨型号及标称长度 Nominal length NL (mm)	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
DZ63-270N	S3A-270 同步缓冲滑轨	249	280	4
DZ63-300N	S3A-300 同步缓冲滑轨	279	310	4
DZ63-350N	S3A-350 同步缓冲滑轨 / N3R-350 反弹滑轨	329 / 296	360	4
DZ63-400N	S3A-400 同步缓冲滑轨 / N3R-400 反弹滑轨	379 / 346	410	4
DZ63-450N	S3A-450 同步缓冲滑轨 / N3R-450 反弹滑轨	429 / 396	460	4
DZ63-500N	S3A-500 同步缓冲滑轨 / N3R-500 反弹滑轨	479 / 446	510	4
DZ63-550N	S3A-550 同步缓冲滑轨	529	560	4
DZ63-600N	S3A-600 同步缓冲滑轨	579	610	4

- → 隐藏式全拉出缓冲抽屉
- → 表面颜色：灰色、白色及其它颜色
- → 载重：35kg
- → 无需工具，抽屉可快速安装和拆卸
- → 同步静音系统，滑轨运动顺畅
- → 三维调节，上下(可调±2mm)、左右(可调 ±1.5mm)方向，面板倾斜调节
- → 自闭功能，平缓关闭，抽屉关闭不受重量影响
- → 长度：270-600mm
- → 针对面板无拉手的情形，可选用内置反弹功能的N3R隐藏式反弹滑轨

- → Soft close concealed full extension drawer
- → Finish color: gray, white or various colors available
- → Dynamic load capacity: 35kg
- → Tool-free quick installation
- → Stroke synchronous quiet system can guarantee the slides run smoothly without noise
- → 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- → Soft-closing function make the drawer close safely without effect of weight
- → Length: 270-600mm
- → For the panel without handle, can choose the N3R concealed silide with built-in push-open function



1
DZ63 侧板(左/右)+装饰盖 1付
DZ63 Side board (L/R)+Cover 1Pair

2 S3A 同步缓冲 / N3R 反弹 
滑轨(左/右) 1付 (可选S3A同步缓冲滑轨或N3R反弹滑轨)
Slides (L/R) 1Pair (Optional S3A Synchronous soft-closing slide or N3R Push-open slide)

3 
DZ63 配件包(左/右) 1付
DZ63 Fitting bag (L/R) 1Pair

4 
DZ63 金属组件(左/右) 1付
DZ63 Metal part component (L/R) 1Pair

5 
DZ63 铝面板 1条
DZ63 Aluminum front panel 1Pcs



SH-ABC

骑马抽屉 DOUBLE WALL DRAWER

柜体滑轨安装孔尺寸 Hole pattern

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide



N3R 反弹滑轨 N3R Push-open slide



滑轨安装尺寸 Installation size

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LT：最小柜深 Min cabinet depth
NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



柜体所需空间 Space required

LW：柜体净宽 Inside net width　B/C/D：用户自定 User defines　Min：最小尺寸



铝面板装配示意 Aluminum front panel assembly

LW：柜体净宽 Inside net width



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LW：柜体净宽 Inside net width　NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



板厚 Board thickness: 16mm

DZ101W SLIM LUXURY DOUBLE WALL DRAWER -(MEDIUM DRAWER)
超薄豪华骑马抽屉 -（外中抽）

产品型号 Item No.	滑轨型号及标称长度 Nominal length NL (mm)	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
DZ101-270W	S3A-270 同步缓冲滑轨	249	280	4
DZ101-300W	S3A-300 同步缓冲滑轨	279	310	4
DZ101-350W	S3A-350 同步缓冲滑轨 / N3R-350 反弹滑轨	329 / 296	360	4
DZ101-400W	S3A-400 同步缓冲滑轨 / N3R-400 反弹滑轨	379 / 346	410	4
DZ101-450W	S3A-450 同步缓冲滑轨 / N3R-450 反弹滑轨	429 / 396	460	4
DZ101-500W	S3A-500 同步缓冲滑轨 / N3R-500 反弹滑轨	479 / 446	510	4
DZ101-550W	S3A-550 同步缓冲滑轨	529	560	4
DZ101-600W	S3A-600 同步缓冲滑轨	579	610	4



可配加高连杆 Optional tube

- 隐藏式全拉出缓冲抽屉
- 表面颜色：灰色、白色及其它颜色
- 载重：35kg
- 无需工具，抽屉可快速安装和拆卸
- 同步静音系统，滑轨运动顺畅
- 三维调节，上下(可调±2mm)、左右(可调 ±1.5mm)方向，面板倾斜调节
- 自闭功能，平缓关闭，抽屉关闭不受重量影响
- 长度：270-600mm
- 针对面板无拉手的情形，可选用内置反弹功能的N3R隐藏式反弹滑轨

- Soft close concealed full extension drawer
- Finish color: gray, white or various colors available
- Dynamic load capacity: 35kg
- Tool-free quick installation
- Stroke synchronous quiet system can guarantee the slides run smoothly without noise
- 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- Soft-closing function make the drawer close safely without effect of weight
- Length: 270-600mm
- For the panel without handle, can choose the N3R concealed silide with built-in push-open function

1 	DZ101 侧板(左/右)+装饰盖 1付 DZ101 Side board (L/R)+Cover 1Pair
2 S3A 同步缓冲 N3R 反弹	滑轨(左/右) 1付 (可选S3A同步缓冲滑轨或N3R反弹滑轨) Slides (L/R) 1Pair (Optional S3A Synchronous soft-closing slide or N3R Push-open slide)
3	DZ101 配件包(左/右) 1付 DZ101 Fitting bag (L/R) 1Pair



SH-ABC

柜体滑轨安装孔尺寸 Hole pattern

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide



N3R 反弹滑轨 N3R Push-open slide



滑轨安装尺寸 Installation size

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LT：最小柜深 Min cabinet depth
NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



柜体所需空间 Space required

LW：柜体净宽 Inside net width　B/C/D：用户自定 User defines　Min：最小尺寸



前接码面板安装尺寸 Connectors front panel dimensions

B/C/D：用户自定 User defines



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LW：柜体净宽 Inside net width　NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



板厚 Board thickness: 16mm

DZ101N SLIM LUXURY DOUBLE WALL DRAWER -(MEDIUM INNER DRAWER)
超薄豪华骑马抽屉 - (内中抽)

产品型号 Item No.	滑轨型号及标称长度 Nominal length NL (mm)	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
DZ101–270N	S3A–270 同步缓冲滑轨	249	280	4
DZ101–300N	S3A–300 同步缓冲滑轨	279	310	4
DZ101–350N	S3A–350 同步缓冲滑轨 / N3R–350 反弹滑轨	329 / 296	360	4
DZ101–400N	S3A–400 同步缓冲滑轨 / N3R–400 反弹滑轨	379 / 346	410	4
DZ101–450N	S3A–450 同步缓冲滑轨 / N3R–450 反弹滑轨	429 / 396	460	4
DZ101–500N	S3A–500 同步缓冲滑轨 / N3R–500 反弹滑轨	479 / 446	510	4
DZ101–550N	S3A–550 同步缓冲滑轨	529	560	4
DZ101–600N	S3A–600 同步缓冲滑轨	579	610	4



- → 隐藏式全拉出缓冲抽屉
- → 表面颜色：灰色、白色及其它颜色
- → 载重：35kg
- → 无需工具，抽屉可快速安装和拆卸
- → 同步静音系统，滑轨运动顺畅
- → 三维调节，上下(可调±2mm)、左右(可调 ±1.5mm)方向，面板倾斜调节
- → 自闭功能，平缓关闭，抽屉关闭不受重量影响
- → 长度：270–600mm
- → 针对面板无拉手的情形，可选用内置反弹功能的N3R隐藏式反弹滑轨

- → Soft close concealed full extension drawer
- → Finish color: gray, white or various colors available
- → Dynamic load capacity: 35kg
- → Tool–free quick installation
- → Stroke synchronous quiet system can guarantee the slides run smoothly without noise
- → 6–way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- → Soft–closing function make the drawer close safely without effect of weight
- → Length: 270–600mm
- → For the panel without handle, can choose the N3R concealed silide with built–in push–open function

1		DZ101 侧板(左/右)+装饰盖 1付 DZ101 Side board (L/R)+Cover 1Pair
2		滑轨(左/右) 1付 (可选S3A同步缓冲滑轨或N3R反弹滑轨) Slides (L/R) 1Pair (Optional S3A Synchronous soft–closing slide or N3R Push–open slide)
3		DZ101 配件包(左/右) 1付 DZ101 Fitting bag (L/R) 1Pair
4		DZ101 金属组件(左/右) 1付 DZ101 Metal part component (L/R) 1Pair
5		DZ101 铝面板 1条 DZ101 Aluminum front panel 1Pcs

SH-ABC

柜体滑轨安装孔尺寸 Hole pattern

S3A 同步缓冲滑轨 S3A Synchronous soft–closing slide



N3R 反弹滑轨 N3R Push–open slide



滑轨安装尺寸 Installation size

S3A 同步缓冲滑轨 S3A Synchronous soft–closing slide

LT：最小柜深 Min cabinet depth
NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push–open slide



柜体所需空间 Space required

LW：柜体净宽 Inside net width　B/C/D：用户自定 User defines　Min：最小尺寸



铝面板装配示意 Aluminum front panel assembly

LW：柜体净宽 Inside net width



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions

S3A 同步缓冲滑轨 S3A Synchronous soft–closing slide

LW：柜体净宽 Inside net width　NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push–open slide



板厚 Board thickness: 16mm

DZ148W SLIM LUXURY DOUBLE WALL DRAWER -(HIGH DRAWER)
超薄豪华骑马抽屉-(外高抽)

产品型号 Item No.	滑轨型号及标称长度 Nominal length NL (mm)	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
DZ148-270W	S3A-270 同步缓冲滑轨	249	280	4
DZ148-300W	S3A-300 同步缓冲滑轨	279	310	4
DZ148-350W	S3A-350 同步缓冲滑轨 / N3R-350 反弹滑轨	329 / 296	360	4
DZ148-400W	S3A-400 同步缓冲滑轨 / N3R-400 反弹滑轨	379 / 346	410	4
DZ148-450W	S3A-450 同步缓冲滑轨 / N3R-450 反弹滑轨	429 / 396	460	4
DZ148-500W	S3A-500 同步缓冲滑轨 / N3R-500 反弹滑轨	479 / 446	510	4
DZ148-550W	S3A-550 同步缓冲滑轨	529	560	4
DZ148-600W	S3A-600 同步缓冲滑轨	579	610	4



可配加高连杆 Optional tube

- → 隐藏式全拉出缓冲抽屉
- → 表面颜色：灰色、白色及其它颜色
- → 载重：35kg
- → 无需工具，抽屉可快速安装和拆卸
- → 同步静音系统，滑轨运动顺畅
- → 三维调节，上下(可调±2mm)、左右(可调 ±1.5mm)方向，面板倾斜调节
- → 自闭功能，平缓关闭，抽屉关闭不受重量影响
- → 长度：270-600mm
- → 针对面板无拉手的情形，可选用内置反弹功能的N3R隐藏式反弹滑轨

- → Soft close concealed full extension drawer
- → Finish color: gray, white or various colors available
- → Dynamic load capacity: 35kg
- → Tool-free quick installation
- → Stroke synchronous quiet system can guarantee the slides run smoothly without noise
- → 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- → Soft-closing function make the drawer close safely without effect of weight
- → Length: 270-600mm
- → For the panel without handle, can choose the N3R concealed silide with built-in push-open function

1 	DZ148 侧板(左/右)+装饰盖 1付 DZ148 Side board (L/R)+Cover 1Pair
2 S3A 同步缓冲 N3R 反弹	滑轨(左/右) 1付 (可选S3A同步缓冲滑轨或N3R反弹滑轨) Slides (L/R) 1Pair (Optional S3A Synchronous soft-closing slide or N3R Push-open slide)
3	DZ148 配件包(左/右) 1付 DZ148 Fitting bag (L/R) 1Pair

SH-ABC

柜体滑轨安装孔尺寸 Hole pattern

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide



N3R 反弹滑轨 N3R Push-open slide



滑轨安装尺寸 Installation size

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LT：最小柜深 Min cabinet depth
NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



柜体所需空间 Space required

LW：柜体净宽 Inside net width　B/C/D：用户自定 User defines　Min：最小尺寸



前接码面板安装尺寸 Connectors front panel dimensions

B/C/D：用户自定 User defines



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LW：柜体净宽 Inside net width　NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



板厚 Board thickness: 16mm

DZ148N SLIM LUXURY DOUBLE WALL DRAWER -(HIGH INNER DRAWER)
超薄豪华骑马抽屉-(内高抽)

产品型号 Item No.	滑轨型号及标称长度 Nominal length NL (mm)	拉出长度 (mm) Travel length	最小柜深LT (mm) Min cabinet depth	包装 (套/箱) Packing (Set/Box)
DZ148-270N	S3A-270 同步缓冲滑轨	249	280	4
DZ148-300N	S3A-300 同步缓冲滑轨	279	310	4
DZ148-350N	S3A-350 同步缓冲滑轨 / N3R-350 反弹滑轨	329 / 296	360	4
DZ148-400N	S3A-400 同步缓冲滑轨 / N3R-400 反弹滑轨	379 / 346	410	4
DZ148-450N	S3A-450 同步缓冲滑轨 / N3R-450 反弹滑轨	429 / 396	460	4
DZ148-500N	S3A-500 同步缓冲滑轨 / N3R-500 反弹滑轨	479 / 446	510	4
DZ148-550N	S3A-550 同步缓冲滑轨	529	560	4
DZ148-600N	S3A-600 同步缓冲滑轨	579	610	4



- → 隐藏式全拉出缓冲抽屉
- → 表面颜色：灰色、白色及其它颜色
- → 载重：35kg
- → 无需工具，抽屉可快速安装和拆卸
- → 同步静音系统，滑轨运动顺畅
- → 三维调节，上下(可调±2mm)、左右(可调 ±1.5mm)方向，面板倾斜调节
- → 自闭功能，平缓关闭，抽屉关闭不受重量影响
- → 长度：270-600mm
- → 针对面板无拉手的情形，可选用内置反弹功能的N3R隐藏式反弹滑轨

- → Soft close concealed full extension drawer
- → Finish color: gray, white or various colors available
- → Dynamic load capacity: 35kg
- → Tool-free quick installation
- → Stroke synchronous quiet system can guarantee the slides run smoothly without noise
- → 6-way adjustment: ±2mm up and down, ±1.5mm left and right, front panel tilt adjustment
- → Soft-closing function make the drawer close safely without effect of weight
- → Length: 270-600mm
- → For the panel without handle, can choose the N3R concealed silide with built-in push-open function

1		DZ148 侧板(左/右)+装饰盖 1付 DZ148 Side board (L/R)+Cover 1Pair
2		滑轨(左/右) 1付 (可选S3A同步缓冲滑轨或N3R反弹滑轨) Slides (L/R) 1Pair (Optional S3A Synchronous soft-closing slide or N3R Push-open slide)
3		DZ148 配件包(左/右) 1付 DZ148 Fitting bag (L/R) 1Pair
4		DZ148 金属组件(左/右) 1付 DZ148 Metal part component (L/R) 1Pair
5		DZ148 铝面板 1条 DZ148 Aluminum front panel 1Pcs
6		DZ148 铝方杆 1条 DZ148 Aluminum squaer tube 1Pcs



SH-ABC

柜体滑轨安装孔尺寸 Hole pattern

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide



N3R 反弹滑轨 N3R Push-open slide



滑轨安装尺寸 Installation size

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LT：最小柜深 Min cabinet depth
NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



柜体所需空间 Space required

LW：柜体净宽 Inside net width　B/C/D：用户自定 User defines　Min：最小尺寸



铝面板装配示意 Aluminum front panel assembly

B/C/D：用户自定 User defines



背板安装尺寸 Rear panel dimensions



调节机构 Adjustment mechanism



抽屉木板尺寸 Drawer board dimensions

S3A 同步缓冲滑轨 S3A Synchronous soft-closing slide

LW：柜体净宽 Inside net width　NL：标称长度 Nominal length



N3R 反弹滑轨 N3R Push-open slide



板厚 Board thickness: 16mm



SH-ABC

DZ63N 超薄豪华骑马抽屉-(内低抽) Slim Luxury Double Wall Drawer -(Lower Inner Drawer)



LW：柜体净宽 Inside net width
Min：最小尺寸





LW：柜体净宽 Inside net width
Min：最小尺寸



DZ101N 超薄豪华骑马抽屉-(内中抽) Slim Luxury Double Wall Drawer -(Medium Inner Drawer)



LW：柜体净宽 Inside net width
Min：最小尺寸





LW：柜体净宽 Inside net width
Min：最小尺寸



DZ148N 超薄豪华骑马抽屉-(内高抽) Slim Luxury Double Wall Drawer -(High Inner Drawer)



LW：柜体净宽 Inside net width
Min：最小尺寸





LW：柜体净宽 Inside net width
Min：最小尺寸